CONTENTS

Double sulphates of Pu^{III} and some lanthanides with ammonium 1
P. N. Iyer and P. R. Natarajan (Bombay, India)

Phase equilibria in the Re–Fe–B system at 1000 °C 13
M. U. Devi and K. P. Gupta (Kanpur, India)

Effects of varying the zirconium concentration and 1 wt.% Y on high temperature oxidation of Fe–15wt.%Cr–4wt.%Al alloy under isothermal and cyclic conditions 23
J. L. Pandey (Jamshedpur, India), S. Prakash and M. L. Mehta (Roorkee, India)

Activity of oxygen in a dilute solution of phosphorus in liquid indium 35
J. Wypartowicz and K. Fitzner (Krakow, Poland)

Diffusion of indium along [001] Sn–Ge interphase boundaries: Prewetting phase transition and critical phenomena. 43
E. I. Rabkin, L. S. Shvindlerman and B. B. Straumal (Moscow, U.S.S.R.)

In situ investigation by synchrotron X-ray topography of titanium recrystallization induced by phase transformation 53
C. Jourdan, G. Grange and J. Gastaldi (Marseilles, France)

A differential scanning calorimetry study of hydrogen-induced amorphization in $GdMn_2$, $PrMn_2$ and $NdMn_2$ Laves phases 59
U.-I. Chung and J.-Y. Lee (Seoul, Korea)

On the texture of Nd–Fe–B permanent magnets. 69
C. Zheng, T. Fu and X. Zeng (Shanghai, China)

La diffusion reactive de l'eau dans le verre de silice les implications de modele classique 73
J. Dazord (Villeurbanne, France)

A dehydriding kinetic study of $LaNi_{4.7}Al_{0.3}$ hydride by a step-wise method. 83
X.-L. Wang and S. Suda (Tokyo, Japan)

Structure and magnetic properties of $Y_2(Fe_{1-x}Al_x)_{14}B$ compounds. 91
C. H. Wu, X. P. Zhong, Z. D. Zhang, Y. C. Chuang (Shenyang, China) and F. R. de Boer (Amsterdam, The Netherlands)

Synthesis of monolithic uranium hydride and uranium deuteride. 97
M. S. Costantino, J. F. Lakner and R. Bastasz (Livermore, CA, U.S.A.)

Study of the hydriding kinetics of $LaNi_{4.7}Al_{0.3}$–H system by a step-wise method 109
X.-L. Wang and S. Suda (Tokyo, Japan)

Crystal structure of $UNi_{1.6}As_2$ 121
R. Tróc, D. Kaczorowski (Wroclaw, Poland), H. Noël and R. Guerin (Rennes, France)

The influence of small amounts of added elements on various anode performance characteristics for $LaNi_{2.5}Co_{2.5}$-based alloys. 127
T. Sakai, H. Miyamura, N. Kuriyama, A. Kato, K. Oguro, H. Ishikawa and C. Iwakura (Osaka, Japan)

Activation energy of obliquely deposited FeTi and $FeTiH_x$ thin films 141
K. S. Upadhyay, M. Singh, Y. K. Vijay and I. P. Jain (Jaipur, India)

Thermodynamic treatment of the Nd_2O_3–CuO binary system 147
X. Chen, J. Liang, S. Xie and Z. Qiao (Beijing, China)

Chlorination kinetics of rhenium, rhodium and iridium 153
A. Landsberg (Albany, OR, U.S.A.)

Chlorination of binary alloys (Si–Ge, Mo–Re and Au–Pt) 163
A. Landsberg (Albany, OR, U.S.A.)

^{57}Fe and ^{169}Tm Mössbauer effect and magnetic properties of $Tm_2Fe_{15}M_2$ (M = Al, Ga, Si). . . . 173
P. C. M. Gubbens, A. M. van der Kraan (Delft, The Netherlands), T. H. Jacobs and K. H. J. Buschow (Eindhoven, The Netherlands)

Study of the ternary Ti–Te–O system 179
S. Yamanaka and M. Miyake (Osaka, Japan)

X-ray studies of the absorption of hydrogen by palladium-rich Pd–(Tb, Tm, Lu) alloys 191
Y. Sakamoto, F. L. Chen, M. Furukawa and K. Mine (Nagasaki, Japan)

Proton T_{1r} and diffusion in $(Ni_{0.5}Zr_{0.5})_{0.95}P_{0.05}H_{0.54}$ and $(Ni_{0.5}Zr_{0.5})_{0.93}P_{0.07}H_{0.58}$ amorphous alloys 199
K. Tompa, A. Werner, I. Bakonyi, P. Banki, I. Pocsik (Budapest, Hungary) and H. E. Schone (Williamsburg, VA, U.S.A.)

Preparation of yttrium silicides and oxide–silicides 205
T. W. Button, I. J. McColm and J. M. Ward (Bradford, U.K.)

Zum existenzbereich des $Ba_8Pt_4Y_3O_{17.5}$-typs. ein beitrag über $Ba_8Pt_4Sc_3O_{17.5}$ und $Ba_8Pt_4Tb_3O_{17.5}$ 223
W. Gutau and Hk. Müller-Buschbaum (Kiel, B.R.D.)

Thermodynamic analysis for the chemical vapour deposition of non-stoichiometric titanium carbides 231
T. Goto, C.-C. Jiang and T. Hirai (Sendai, Japan)

The transformation behaviour of the rapidly solidified solid solution of yttrium in magnesium . 237
F. Sommer, F. Hehmann (Stuttgart, F.R.G.) and H. Jones (Sheffield, U.K.)

The high T_c phase ($n = 3$) in the Bi–Pb–Sr–Ca–Cu–O system 261
S. Lösch, M. Schlichenmaier, S. Kemmler-Sack (Tübingen, F.R.G.), C. Schöll, S. Döttinger, W. Forkel (Stuttgart, F.R.G.), D. Kölle, R. Gross and R. P. Huebener (Tübingen, F.R.G.)

Analysis of internal friction spectra caused by Snoek-type relaxations 269
G. Haneczok (Katowice, Poland) and M. Weller (Stuttgart, F.R.G.)

The ternary systems Cu–Ti–Al and Cu–Zr–Al around the Heusler phase composition Cu_2XAl (X = Ti, Zr): phase diagrams and hydrogen solubility 277
R. Meyer zu Reckendorf, P. C. Schmidt and A. Weiss (Darmstadt, F.R.G.)

Hydrogen-supported formation of G phase $Cu_{16}Zr_6Al_7$ in the ternary system Cu–Zr–Al 291
R. Meyer zu Reckendorf, P. C. Schmidt and A. Weiss (Darmstadt, F.R.G.)

Formation of β-$FeSi_2$ from the sintered eutectic alloy FeSi–Fe_2Si_5 doped with cobalt 299
T. Kojima (Tokyo, Japan), K. Masumoto (Sendai, Japan), M. A. Okamoto and I. Nishida (Tokyo, Japan)

Determination of hydrogen isotope separation factors on a microscopic scale by laser desorption. 307
M. Karas, E. P. Magomedbekov and G. H. Sicking (Münster, F.R.G.)

Darstellung und krista"struktur von tetraamido-aluminaten des rubidiums und caesiums, $Rb[Al(NH_2)_4]$ und $Cs[Al(NH_2)_4]$ 315
H. Jacobs and K. Jänichen (Dortmund, F.R.G.)

The influence of oxidation upon the storage capacity of $LaNi_5$ electrodes 327
A. H. Boonstra, T. N. M. Bernards and G. J. M. Lippits (Eindhoven, The Netherlands)

The system $BiPbSr_2Fe_{1-x}T_xO_{6+z}$ (T = Co, Ni) 337
T. Fries, G. Mayer-von Kürthy, A. Ehmann, W. Wischert and S. Kemmler-Sack (Tübingen, F.R.G.)

A second-order phase transition in $V_{0.54}Ir_{0.46}$ 343
B. Chen and H. F. Franzen (Ames, IA, U.S.A.)

Variation of the superconducting and crystallographic properties and their relation to oxygen stoichiometry of highly homogeneous $YBa_2Cu_3O_x$ 349
T. Graf, G. Triscone and J. Muller (Geneva, Switzerland)

Letters

Note on the magneto-optical properties of Fe_3X compounds (X = B, P, Ge, Sn) L1
P. P. J. van Engelen and K. H. J. Buschow (Eindhoven, The Netherlands)

A photoelectron spectroscopy study of Cu_2MnAl Heusler alloys L5
A. Szytuła, T. Czeppe and J. Stoch (Cracow, Poland)

Thermal expansion anomalies in the Heusler alloys Cu_2MnAl, Ni_2MnSn, Co_2MnSn, Ni_2ZrSn and Ni_2ZrIn L9
G. Mavrodiev, S. Koneska (Skopje, Yugoslavia) and A. Szytuła (Cracow, Poland)

Solid phase equilibria in the Fe–In–P system L13
M. Andersson-Söderberg (Uppsala, Sweden)

Hydrogen penetration into amorphous V_2O_5 through a $LaNi_5$ thin film L17
H. Shirai, H. Sakaguchi and G. Adachi (Osaka, Japan)

The phase diagram of the Er–Ru system L21
A. Palenzona (Genoa, Italy)

A new binary boride, Nb_5B_6 . . . . . L25
H. Bolmgren and T. Lundström (Uppsala, Sweden)

On the crystal structure of BaNiN, a low valency nitridoniccolate(I) L29
A. Gudat, S. Haag, R. Kniep and A. Rabenau (Stuttgart, F.R.G.)

AUTHOR INDEX 363

SUBJECT INDEX 365

AUTHOR INDEX

Adachi, G., L17
Andersson-Söderberg, M., L13

Bakonyi, I., 199
Banki, P., 199
Bastasz, R., 97
Bernards, T. N. M., 327
de Boer, F. R., 91
Bolmgren, H., L25
Boonstra, A. H., 327
Buschow, K. H. J., 173, L1
Button, T. W., 205

Chen, B., 343
Chen, F. L., 191
Chen, X., 147
Chuang, Y. C., 91
Chung, U.-I., 59
Costantino, M. S., 97
Czeppe, T., L5

Dazord, J., 75
Devi, M. U., 13
Döttinger, S., 261

Ehmann, A., 337
van Engelen, P. P. J., L1

Fitzner, K., 35
Forkel, W., 261
Franzen, H. F., 343
Fries, T., 337
Fu, T., 69
Furukawa, M., 191

Gastaldi, J., 53
Goto, T., 231
Graf, T., 349
Grange, G., 53
Gross, R., 261
Gubbens, P. C. M., 173
Gudat, A., L29
Guerin, R., 121
Gupta, K. P., 13
Gutau, W., 223

Haag, S., L29
Haneczok, G., 269
Hehmann, F., 237
Hirai, T., 231
Huebner, R. P., 261

Ishikawa, H., 127
Iwakura, C., 127
Iyer, P. N., 1

Jacobs, H., 315
Jacobs, T. H., 173
Jain, I. P., 141
Jänichen, K., 315
Jiang, C.-C., 231
Jones, H., 237
Jourdan, C., 53

Kaczorowski, D., 121
Karas, M., 307
Kato, A., 127
Kemmler-Sack, S., 261, 337
Kniep, R., L29
Kojima, T., 299
Kölle, D., 261
Koneska, S., L9
van der Kraan, A. M., 173
Kuriyama, N., 127

Lakner, J. F., 97
Landsberg, A., 153, 163
Lee, J.-Y., 59
Liang, J., 147
Lippits, G. J. M., 327
Lösch, S., 261
Lundström, T., L25

Magomedbekov, E. P., 307
Masumoto, K., 299
Mavrodiev, G., L9
Mayer-von Kürthy, G., 337
McColm, I. J., 205
Mehta, M. L., 23
Meyer zu Reckendorf, R., 277, 291
Mine, K., 191
Miyake, M., 179
Miyamura, H., 127
Muller, J., 349
Müller-Buschbaum, Hk., 223

Natarajan, P. R., 1
Nishida, I., 299
Noël, H., 121

Oguro, K., 127
Okamoto, M. A., 299

Palenzona, A., L21
Pandey, J. L., 23
Pocsik, I., 199
Prakash, S., 23

Qiao, Z., 147

Rabenau, A., L29
Rabkin, E. I., 43

Sakaguchi, H., L17
Sakai, T., 127
Sakamoto, Y., 191
Schlichenmaier, M., 261
Schmidt, P. C., 277, 291
Schöll, C., 261
Schone, H. E., 199
Shirai, H., L17
Shvindlerman, L. S., 43
Sicking, G. H., 307
Singh, M., 141
Sanmer, F., 237
Stoch, J., L5
Straumal, B. B., 43
Suda, S., 83, 109
Szytnta, A., L5, L9

Tompa, K., 199
Triscane, G., 349
Tróc, R., 121

Upadhyay, K. S., 141